HANGZHOU HANHAO CHEMICAL CO., LTD

Plant: Jiangdong Development Zone, Great Jiangdong District, Hangzhou China
Office: 2103 Bldg1, Dacheng Plaza, Shixin Road, Xiaoshan, Hangzhou, China
Tel:+86-571-82502631/82551631
Fax:+86-571-82722631

TECHNICAL DATA SHEET

Product Description:

| Product Name: | Fast Yellow H3G | | | | |
|------------------|-------------------------------|--|--|--|--|
| Color Index: | Pigment Yellow 154 | | | | |
| C.I.No. | 11781 | | | | |
| CAS No. | 6813 <mark>4-22-5</mark> | | | | |
| EC No. | 268-7 <mark>34-6</mark> | | | | |
| Chemical Nature: | Benzimidazolone | | | | |
| Chemical Formula | $C_{18}H_{14}F_{3}N_{5}O_{3}$ | | | | |
| | | | | | |

Technical Properties:

A greenish yellow pigment powder, with high color strength and excellent processing stability, excellent heat resistance and light fastness, semi-transparent.

Application:

Recommend: PVC, PU, RUB, PE, PP, Fiber, EVA, PS, PA, PC.....decorative paints, industrial paints, powder coating, coil coating.

Physical Properties

| Appearance | Yellow powd <mark>er</mark> | | |
|----------------------|-----------------------------|--|--|
| Color Shade | Greenish shade | | |
| Density(g/cm3) | 1.57 | | |
| Water Soluble Matter | ≤1.0 | | |
| Coloring Strength | 100% ±5 | | |
| PH Value | 6.5-7.5 | | |
| Oil Absorption | 45-55 | | |
| Acid Resistance | 5 | | |
| Alkali Resistance | 5 | | |
| Heat Resistance | 210°C | | |
| Migration Resistance | 5 (1-5, 5 is excellent) | | |

| Resistance | | | Recommended applications | | | | | | | |
|------------|-------|-----------|--------------------------|----|-----|-------|-----|----|----|----------|
| Heat ℃ | Light | Migration | PVC | PU | RUB | Fiber | EVA | PP | PE | PS.PC.PA |
| 210 | 8 | 5 | • | • | • | • | • | 0 | • | 0 |

Note: The above information is provided as guidelines for your reference only. The accurate effects should base on the test results in laboratory.