HANGZHOU HANHAO CHEMICAL CO., LTD

Plant: Jiangdong Development Zone, Great Jiangdong District, Hangzhou China
Office: 2103 Bldg1, Dacheng Plaza, Shixin Road, Xiaoshan, Hangzhou, China
Tel:+86-571-82502631/82551631
Fax:+86-571-82722631

TECHNICAL DATA SHEET

Product Description:

| Product Name: | | Fast Yellow 5GX-OP | | |
|----------------|------|--------------------|----------------|--|
| Color Index: | | Pigment Yellow 74 | | |
| C.I.No. | | <u>1</u> 174 | 1 | |
| CAS No. | | 6358 | 3-31-2 | |
| EC No. | | 228- | 768-4 | |
| Chemical Natur | e: | Mon | o azo | |
| Chemical Form | ular | C_{18} | $H_{18}N_4O_6$ | |
| | | | | |

Technical Properties:

With high opaque and very good resistance. And greenish shade.

Application:

Recommend: Water based ink, water based paints and textile printing. Suggested for water based decorative paint and NC inks, offset inks

Physical Properties

| Density(g/cm3) | 1.5 |
|-------------------------------|---------|
| Moisture (%) | ≤2.0 |
| Water Soluble Matter | ≤1.5 |
| Oil Absorption (ml / 100g) | 35-45 |
| Electric conductivity (us/cm) | ≤500 |
| Fineness(80mesh) | ≤5.0 |
| PH value | 6.0-7.5 |

Fastness Properties (5=Excellent, 1=Poor)

| Acid Resistance | 5 | Soap Resistance | 5 |
|--------------------|---|----------------------------|-----|
| Alkali Resistance | 5 | Bleeding Resistance | 5 |
| Alcohol Resistance | 5 | Migration Resistance | - |
| Ester Resistance | 4 | Heat Resistance (°C) | 190 |
| Benzene Resistance | 4 | Light | 7 |
| Ketone Resistance | 4 | Fastness(8=Excellent) | |

Note: The above information is provided as guidelines for your reference only. The accurate effects should base on the test results in laboratory.