# HANGZHOU HANHAO CHEMICAL CO., LTD

**Plant:** Jiangdong Development Zone, Great Jiangdong District, Hangzhou China **Office:** 2103 Bldg1, Dacheng Plaza, Shixin Road, Xiaoshan, Hangzhou, China **Tel:**+86-571-82502631/82551631 **Fax:**+86-571-82722631

#### TECHNICAL DATA SHEET

#### **Product Description:**

Product Name: Fast Yellow 3RLP
Color Index: Pigment Yellow 110

C.I.No. 56280CAS No. 5590-18-1EC No. 226-999-5Chemical Nature: Isoindolinone
Chemical Formula  $C_{22}H_6Cl_8N_4O_2$ 

#### **Technical Properties:**

A reddish yellow pigment, with excellent processing stability, good dispersing ability, high transparency, excellent heat and outstanding fastness properties.

### **Application:**

Recommended for all paints, plastic, Fiber and offset inks, UV inks. Suggested for water based ink and textile printing.

## **Physical Properties**

Density(g/cm3)	1.5
Moisture (%)	≤1.5
Water Soluble Matter	≤1.0
Oil Absorption (ml / 100g)	45-55
Electric conductivity (us/cm)	≤500
Fineness(80mesh)	≤5.0
PH value	6.5-7.5

#### Fastness Properties (5=Excellent, 1=Poor)

Acid Resistance	5	Soap Resistance	5
Alkali Resistance	5	<b>Bleeding Resistance</b>	5
<b>Alcohol Resistance</b>	5	<b>Migration Resistance</b>	5
<b>Ester Resistance</b>	5	<b>Heat Resistance</b> (℃)	280
<b>Benzene Resistance</b>	5	Light	8
<b>Ketone Resistance</b>	5	Fastness(8=Excellent)	

Note: The above information is provided as guidelines for your reference only. The accurate effects should base on the test results in laboratory.